



UNITED STATES DEPARTMENT OF COMMERCE  
Patent and Trademark Office  
ASSISTANT SECRETARY OF COMMERCE AND  
COMMISSIONER OF PATENTS AND TRADEMARKS  
P.O. Box 1450  
Alexandria, VA 22313-1450

December 4, 2007

**SHELDON MAK ROSE & ANDERSON PC**  
**100 East Corson Street**  
**Third Floor**  
**PASADENA CA 91103-3842**

Patent No. : 6,781,118 B2  
Inventor(s) : Stephen D. Fuerstenau  
Issued : August 24, 2004  
For **PARTICLE CHARGE**  
**SPECTROMETER**  
Doc. No. **16468**

To Whom It May Concern:

The Certificate for Correction of Inventorship issued on November 6, 2007, issued in error, in that error(s) was made in identifying the patent number and/or keying text/corrections, i.e.:

The Supervisory Patent Examiner as shown in the signature location is listed incorrectly. The correct supervisory patent examiner of Art Unit 2881 is Robert H. Kim. A certificate for correction of inventorship will be issued to list the correct supervisory patent examiner of Art Unit 2881 --Robert H. Kim--.

---

No further response is required, from applicants (attorney). However, errors discovered by attorney, other than as noted and described above, should be noted on *a copy* of the Certificate of Correction that was issued in error, accompanied by a signed transmittal letter and submitted directed to this Branch.

Antonio Johnson  
(703) 308-9390 ext. 111  
For Mary F. Diggs, Supervisor  
Decisions & Certificates of Correction Branch  
(703) 305-8309 / 703-308-9390 ext. 125  
cbn